



## Myeloid-Derived Growth Factor (MYDGF) Antibody


Catalogue No.: abx001014



Western blot analysis of extracts of various cell lines using C19orf10 Antibody (1/1000 dilution).



Immunohistochemistry of paraffin-embedded human colon using C19orf10 Antibody (1/450 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry of paraffin-embedded human tonsil using C19orf10 Antibody (1/400 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.

MYDGF Antibody is a Rabbit Polyclonal antibody against MYDGF. The protein encoded by this gene was previously thought to support proliferation of lymphoid cells and was considered an interleukin. However, this activity has not been reproducible and the function of this protein is currently unknown. [provided by RefSeq, Jul 2008].

**Target:** Myeloid-Derived Growth Factor (MYDGF)

**Clonality:** Polyclonal

**Reactivity:** Human, Mouse, Rat

**Tested Applications:** WB, IHC

**Host:** Rabbit

**Recommended dilutions:** WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

# Datasheet

Version: 4.0.0  
Revision date: 18 Mar 2025



<b>Conjugation:</b>	Unconjugated
<b>Immunogen:</b>	Recombinant fusion protein corresponding to human C19orf10
<b>Isotype:</b>	IgG
<b>Form:</b>	Liquid
<b>Purification:</b>	Purified by affinity chromatography.
<b>Storage:</b>	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
<b>UniProt Primary AC:</b>	Q969H8 ( <a href="#">UniProt</a> , <a href="#">ExPASy</a> )
<b>Gene Symbol:</b>	MYDGF
<b>GeneID:</b>	<a href="#">56005</a>
<b>OMIM:</b>	<a href="#">606746</a>
<b>NCBI Accession:</b>	NP_061980.1
<b>KEGG:</b>	hsa:56005
<b>String:</b>	<a href="#">9606.ENSP00000262947</a>
<b>Molecular Weight:</b>	Calculated MW: 18 kDa Observed MW: 19 kDa
<b>Buffer:</b>	PBS, pH 7.3, containing 0.01% thiomersal, 50% glycerol.
<b>Concentration:</b>	1 mg/ml
<b>Note:</b>	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.