


Mitogen-Activated Protein Kinase Kinase Kinase 7 (TAK1) Antibody

Catalogue No.:abx012835



WB analysis of HepG2 cells, using TAK1 antibody. The lane on the right was treated with the corresponding peptide.

Mitogen-Activated Protein Kinase Kinase Kinase 7 (TAK1) Antibody is a Rabbit polyclonal against TAK1.

Target: Mitogen-Activated Protein Kinase Kinase Kinase 7 (TAK1)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: ELISA: 1/1000, WB: 1/500 - 1/3000. Optimal dilutions/concentrations should be determined

by the end user.

Conjugation: Unconjugated

Immunogen: The antiserum was produced against synthesized non-phosphopeptide derived from Human

TAK1 around the phosphorylation site of Threonine 184 (I-Q-TP-H-M).

Isotype: IgG

Form: Liquid

Purification: Purified from rabbit antiserum by affinity chromatography using epitope-specific immunogen.

Storage: Aliquot and store at -20°C for up to 1 year. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: O43318 (UniProt, ExPASy)

KEGG: hsa:6885

String: 9606.ENSP00000358335

Datasheet

Version: 5.0.0 Revision date: 06 Oct 2025



Enzyme Commission Number: EC 2.7.11.25

Buffer: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.02% sodium azide, 50% glycerol.

Specificity: Detects endogenous levels of total Human TAK1 protein.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY, NOT FOR USE IN DIAGNOSTIC.

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.