



Mitogen-Activated Protein Kinase Kinase Kinase 7 (MAP3K7) Antibody

Catalogue No.: abx012920



Western blot analysis of extracts from Jurkat cells, treated with heat shock, using MAP3K7 (epitope around residue 187) antibody.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue using MAP3K7 (epitope around residue 187) antibody.

Rabbit polyclonal antibody against MAP3K7 protein. Immunogen region is Internal.

Target:	Mitogen-Activated Protein Kinase Kinase Kinase 7 (MAP3K7)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB, IHC
Host:	Rabbit
Recommended dilutions:	WB: 1/500 - 1/3000, IHC: 1/50 - 1/100, ELISA: 1/40000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	The antiserum was produced against synthesized non-phosphopeptide derived from human MAP3K7 around the phosphorylation site of threonine 187 (H-M-TP-N-N).
Isotype:	IgG
Form:	Liquid
Purification:	Purified from rabbit antiserum by affinity chromatography using epitope-specific immunogen.

Datasheet

Version: 3.0.0
Revision date: 10 Jul 2025



Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: O43318 ([UniProt](#), [ExPASy](#))

KEGG: hsa:6885

String: [9606.ENSP00000358335](#)

Enzyme Commission Number: EC 2.7.11.25

Sequence: CDIQTHMTNNKGS

Buffer: PBS (without Mg^{2+} and Ca^{2+}), pH 7.4, 150 mM NaCl, 0.02% sodium azide, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only