



Tumor Necrosis Factor Ligand Superfamily Member 12 (TNF12) Antibody


Catalogue No.:abx013293



Western blot analysis of extracts from COLO cells, HUVEC cells and 293 cells, using TNF12 antibody.



Immunohistochemistry analysis of paraffin-embedded human brain tissue using TNF12 antibody.



Immunofluorescence analysis of HeLa cells, using TNF12 antibody.

Rabbit polyclonal antibody against TNF12 protein. Immunogen region is Internal.

Target: Tumor Necrosis Factor Ligand Superfamily Member 12 (TNF12)

Clonality: Polyclonal

Reactivity: Human, Mouse

Tested Applications: ELISA, WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/3000, IHC: 1/50 - 1/100, IF/ICC: 1/100 - 1/500, ELISA: 1/20000. Optimal

dilutions/concentrations should be determined by the end user.

Datasheet

Version: 2.0.0 Revision date: 30 Aug 2025



Conjugation: Unconjugated

Immunogen: The antiserum was produced against synthesized peptide derived from internal of human TNF12.

Isotype: IgG

Form: Liquid

Purification: Purified from rabbit antiserum by affinity chromatography using epitope-specific immunogen.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: O43508 (<u>UniProt</u>, <u>ExPASy</u>)

KEGG: hsa:407977, hsa:8742

String: <u>9606.ENSP00000293825</u>

Sequence: CPQTEESQDPAPFLN

Buffer: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.02% sodium azide, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.

2 of 2