



## Promyelocytic Leukemia Protein (PML) Antibody

Catalogue No.:abx001098



Western blot analysis of extracts of various cell lines using PML Antibody (1/1000 dilution).



Immunohistochemistry of paraffin-embedded human appendix using PML Antibody (1/100 dilution, 40x lens). Microwave antigen retrieval was performed in 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

PML Antibody is a Rabbit Polyclonal antibody against PML. The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This phosphoprotein localizes to nuclear bodies where it functions as a transcription factor and tumor suppressor. Its expression is cell-cycle related and it regulates the p53 response to oncogenic signals. The gene is often involved in the translocation with the retinoic acid receptor alpha gene associated with acute promyelocytic leukemia (APL). Extensive alternative splicing of this gene results in several variations of the protein's central and C-terminal regions; all variants encode the same N-terminus. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008].

Target: Promyelocytic Leukemia Protein (PML)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations

should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant fusion protein corresponding to human PML

## **Datasheet**

Version: 6.0.0 Revision date: 05 Aug 2025



Isotype: IgG

Form: Liquid

**Purification:** Purified by affinity chromatography.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P29590 (<u>UniProt</u>, <u>ExPASy</u>)

Gene Symbol: PML

GeneID: <u>5371</u>

NCBI Accession: NP\_150241.2

**KEGG:** hsa:5371

String: <u>9606.ENSP00000268058</u>

Molecular Weight: Calculated MW: 47-48 kDa/62-97 kDa

Observed MW: 67 kDa

**Buffer:** PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.