


Spi-C Transcription Factor (SPIC) Antibody

Catalogue No.: abx013695



Western blot analysis of extracts from HepG2 cells and HeLa cells, using SPIC antibody.

Rabbit polyclonal antibody against SPIC protein. Immunogen region is Internal.

Target:	Spi-C Transcription Factor (SPIC)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	WB: 1/500 - 1/3000, ELISA: 1/10000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	The antiserum was produced against synthesized peptide derived from internal of human SPIC.
Isotype:	IgG
Form:	Liquid
Purification:	Purified from rabbit antiserum by affinity chromatography using epitope-specific immunogen.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q8N5J4 (UniProt , ExPASy)
KEGG:	hsa:121599
String:	9606.ENSP00000448580

Datasheet

Version: 3.0.0

Revision date: 11 Sep 2025



Buffer: PBS (without Mg^{2+} and Ca^{2+}), pH 7.4, 150 mM NaCl, 0.02% sodium azide, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only