



Advanced Glycosylation End Product Specific Receptor (AGER) Antibody


Catalogue No.: abx130064




Western blot analysis of recombinant Rat AGER.




IHC-P analysis of Rat Liver Tissue, with DAB staining.



IHC-P analysis of Rat Skin Tissue, with DAB staining.



IHC-P analysis of Rat Adrenal Gland Tissue, with DAB staining.



IHC-P analysis of Rat Lung Tissue, with DAB staining.

Datasheet

Version: 3.0.0
Revision date: 04 Oct 2025



AGER Antibody is a Rabbit Polyclonal against AGER.

Target:	Advanced Glycosylation End Product Specific Receptor (AGER)
Clonality:	Polyclonal
Reactivity:	Rat
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	AGER (Pro180-Pro402)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q63495 (UniProt , ExPASy)
String:	10116.ENSARNOP00000000508
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.