



Cluster Of Differentiation 14 (CD14) Antibody


Catalogue No.: abx129942




Western blot analysis of Pig Lymph node, using Pig CD14 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of Pig Skin lysate, using Rabbit Anti-Pig CD14 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of the recombinant protein.



IHC-P analysis of Porcine Liver Tissue, with DAB staining.

Cluster Of Differentiation 14 Antibody is a Rabbit Polyclonal against Cluster Of Differentiation 14.

Target: Cluster Of Differentiation 14 (CD14)

Clonality: Polyclonal

Reactivity: Pig

Datasheet

Version: 2.0.0

Revision date: 14 May 2025



Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: CD14 (Thr21-Ala373)

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: A2SW51 ([UniProt](#), [ExPASy](#))

String: [9823.ENSSSCP00000015286](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.