



Cytohesin 1 (CYTH1) Antibody


Catalogue No.: abx128797




WB analysis of Raji cell lysate (Lane 1) and Pig cerebrum lysate (Lane 2) using Cytohesin 1 (CYTH1) Antibody (3 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




IHC-P analysis of Human brain tissue using Cytohesin 1 (CYTH1) Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Glioma tissue using Cytohesin 1 (CYTH1) Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human skin cancer tissue using Cytohesin 1 (CYTH1) Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human lung cancer tissue using Cytohesin 1 (CYTH1) Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 6.0.0

Revision date: 10 Apr 2025



Flow cytometric analysis of Raji Human Burkitt's lymphoma cells using Cytohesin 1 (CYTH1) Antibody (red histogram) or an Isotype Control antibody (green histogram) with an anti-Rabbit IgG secondary antibody conjugated to APC.

Cytohesin 1 Antibody is a Rabbit Polyclonal against Cytohesin 1.

Target:	Cytohesin 1 (CYTH1)
Research Area:	Signal Transduction, Immunology, Developmental Science
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, FCM
Host:	Rabbit
Recommended dilutions:	WB: 0.01-3 µg/ml, IHC: 5-20 µg/ml, FCM: 0.5-2 µg/10 ⁶ cells in 100 µl volume, IF/ICC (predicted): 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx168072 - Recombinant Human CYTH1 protein (Met1-His398), expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q15438 (UniProt , ExPASy)
Gene Symbol:	CYTH1
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Specificity:	Cross-reacts with Pig CYTH1.

Datasheet

Version: 6.0.0

Revision date: 10 Apr 2025



Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only