



Glypican 3 (GPC3) Antibody


Catalogue No.: abx129737




WB analysis of Mouse Liver Tissue using GPC3 antibody.




IHC-P analysis of Mouse Small Intestine Tissue with DAB staining, using GPC3 Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Mouse Liver Tissue with DAB staining using GPC3 Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Mouse Esophagus Tissue with DAB staining using GPC3 Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Mouse Uterus Tissue with DAB staining, using GPC3 Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml)

Datasheet

Version: 5.0.0
Revision date: 13 Jul 2025



Glypican 3 Antibody is a Rabbit Polyclonal antibody against Glypican 3.

Target:	Glypican 3 (GPC3)
Clonality:	Polyclonal
Reactivity:	Mouse
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-3 µg/ml, IHC: 5-30 µg/ml, IF/ICC: 5-30 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx167236 - Recombinant Mouse GPC3 (Ile344-Ser559) expressed in E. coli.
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q8CFZ4 (UniProt , ExPASy)
KEGG:	mmu:14734
String:	10090.ENSMUSP00000064131
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.