



Immunoglobulin Superfamily Containing Leucine Rich Repeat Protein (ISLR) Antibody


Catalogue No.: abx128327




Western blot analysis of (1) U87MG, and (2) NIH/3T3 cell lysates, using Rabbit Anti-Human ISLR Antibody (0.5 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).




IHC-P analysis of Human Prostate Tissue, with DAB staining, using Rabbit Anti-Human ISLR Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml). PBS was used instead of the primary antibody for the control.



IHC-P analysis of Human Kidney Tissue, with DAB staining, using Rabbit Anti-Human ISLR Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml). PBS was used instead of the primary antibody for the control.




IHC-P analysis of Human Stomach Tissue, with DAB staining, using Rabbit Anti-Human ISLR Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml). PBS was used instead of the primary antibody for the control.



IHC-P analysis of Rat Kidney Tissue, with DAB staining, using Rabbit Anti-Human ISLR Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml)..

Datasheet

Version: 5.0.0
Revision date: 29 Sep 2025



IF analysis of Human U2OS cells, with FITC staining, using Rabbit Anti-Human ISLR Antibody (20 µg/ml) and FITC-conjugated Goat Anti-Rabbit antibody ([abx400042](#), 2 µg/ml).

Immunoglobulin Superfamily Containing Leucine Rich Repeat Protein Antibody is a Rabbit Polyclonal against Immunoglobulin Superfamily Containing Leucine Rich Repeat Protein.

Target:	Immunoglobulin Superfamily Containing Leucine Rich Repeat Protein (ISLR)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx167981 - Recombinant ISLR (Cys19-Phe428) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	O14498 (UniProt , ExPASy)
Gene Symbol:	ISLR
GeneID:	3671
KEGG:	hsa:3671
String:	9606.ENSP00000249842

Datasheet

Version: 5.0.0

Revision date: 29 Sep 2025



Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Specificity: Cross-reacts with Mouse and Rat ISLR.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only