



Intercellular Adhesion Molecule 4 (ICAM4) Antibody


Catalogue No.: abx129327




Western blot analysis of recombinant Mouse ICAM4.



Western blot analysis of Mouse Lung lysate, using ICAM4 antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



Western blot analysis of Mouse Spleen lysate, using ICAM4 antibody (1 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 0.2 µg/ml).



IHC-P analysis of formalin fixed paraffin embedded pancreas tissue, with DAB staining.

Intercellular Adhesion Molecule 4 Antibody is a Rabbit Polyclonal against Intercellular Adhesion Molecule 4.

Target: Intercellular Adhesion Molecule 4 (ICAM4)

Clonality: Polyclonal

Reactivity: Mouse

Datasheet

Version: 3.0.0
Revision date: 28 Sep 2025



Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx168342](#) - Recombinant ICAM4 (Gln23-Leu227) expressed in E. coli

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q9ERM2 ([UniProt](#), [ExPASy](#))

String: [10090.ENSMUSP00000001040](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.