



Keratin 6C (KRT6C) Antibody


Catalogue No.: abx128996




Western blot analysis of recombinant Human KRT6C protein.




IHC-P analysis of Human Pancreatic Cancer tissue, with DAB staining, using Rabbit Anti-Human KRT6C Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Breast Cancer tissue, with DAB staining, using Rabbit Anti-Human KRT6C Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Prostate tissue, with DAB staining, using Rabbit Anti-Human KRT6C Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Prostate Cancer tissue, with DAB staining, using Rabbit Anti-Human KRT6C Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 3.0.0
Revision date: 14 Oct 2025



IHC-P analysis of Human Skin Cancer tissue, with DAB staining, using Rabbit Anti-Human KRT6C Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Colorectal Cancer tissue, with DAB staining, using Rabbit Anti-Human KRT6C Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Keratin 6C Antibody is a Rabbit Polyclonal against Keratin 6C.

Target:	Keratin 6C (KRT6C)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx166862 - Recombinant KRT6C (Glu163-Gly482) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Datasheet

Version: 3.0.0

Revision date: 14 Oct 2025



Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only