


Human Linker For Activation Of T-Cell (LAT) Protein

Catalogue No.:abx166552



SDS-PAGE analysis of Linker For Activation Of T-Cell Protein.

Linker For Activation Of T-Cell Protein is a recombinant Human protein expressed in E. coli.

Target: Linker For Activation Of T-Cell (LAT)

Origin: Human

Expression: Recombinant

Tested Applications: WB, SDS-PAGE

Host: E. coli

Conjugation: Unconjugated

Form: Lyophilized

Activity: Not tested

Purity: > 95%

Reconstitution: To keep the original salt concentration, we recommend reconstituting to the original concentration prior

to lyophilization (see Concentration) in ddH₂O. If a lower concentration is required, dilute in PBS, pH

7.4. If a higher concentration is required, the product can be reconstituted directly in PBS, pH 7.4, though please note that this will change the overall salt concentration. The stock concentration should

be between 0.1-1.0 mg/ml. Do not vortex.

Storage: Store at 2-8°C for up to one month. For long-term storage, store at -80°C. Avoid repeated freeze/thaw

cycles.

UniProt Primary AC: O43561 (UniProt, ExPASy)

KEGG: hsa:27040

Datasheet

Version: 2.0.0 Revision date: 31 Oct 2025



Molecular Weight: Calculated MW: 24.9 kDa

Sequence Fragment: Leu25-Glu221

Tag: N-terminal His tag

Buffer: Prior to lyophilization: PBS, pH 7.4, containing 0.01% Sarcosyl, 1 mM DTT, 5% Trehalose and

Proclin-300.

Concentration: Prior to lyophilization: 200 μg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC. THERAPEUTIC

OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

