



Pancreas Specific Transcription Factor 1a (PTF1a) Antibody


Catalogue No.: abx104973




Western blot analysis of recombinant Human PTF1a (with N-terminal His and GST tags).




IHC-P analysis of Human Liver Cancer Tissue, with DAB staining, using Rabbit Anti-Human PTF1a Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Stomach Tissue, with DAB staining, using Rabbit Anti-Human PTF1a Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Colorectal Cancer Tissue, with DAB staining, using Rabbit Anti-Human PTF1a Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Breast Cancer Tissue, with DAB staining, using Rabbit Anti-Human PTF1a Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IF analysis of Human A431 cells, using Rabbit Anti-Human PTF1a Antibody (10 µg/ml) and FITC-conjugated Goat Anti-Rabbit antibody ([abx400042](#), 1 µg/ml).

Pancreas Specific Transcription Factor 1a Antibody is a Rabbit Polyclonal against Pancreas Specific Transcription Factor 1a.

Target:	Pancreas Specific Transcription Factor 1a (PTF1a)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx167159 - Recombinant PTF1a (Gln177-Ser328 with N-terminal His and GST tags) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q7RTS3 (UniProt , ExPASy)
Gene Symbol:	PTF1A
GeneID:	256297
OMIM:	607194
HGNC:	23734

Datasheet

Version: 3.0.0

Revision date: 31 May 2025



KEGG: hsa:256297

String: [9606.ENSP00000365687](#)

Buffer: PBS, pH 7.4, containing 0.02% sodium azide, 50% glycerol.

Specificity: Cross-reacts with Mouse and Rat PTF1a.

Concentration: 0.82 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only