



Platelet Activating Factor Acetylhydrolase 2 (PAFAH2) Antibody


Catalogue No.: abx128175




Western blot analysis of Human PAFAH2 Protein.




IHC-P analysis of Human Kidney Tissue, with DAB staining, using Rabbit Anti-Human PAFAH2 (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Stomach Cancer Tissue, with DAB staining, using Rabbit Anti-Human PAFAH2 (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Liver Cancer Tissue, with DAB staining, using Rabbit Anti-Human PAFAH2 (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Cerebrum Tissue, with DAB staining, using Rabbit Anti-Human PAFAH2 (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Lung Cancer Tissue, with DAB staining, using Rabbit Anti-Human PAFAH2 (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Platelet Activating Factor Acetylhydrolase 2 Antibody is a Rabbit Polyclonal against Platelet Activating Factor Acetylhydrolase 2.

Target:	Platelet Activating Factor Acetylhydrolase 2 (PAFAH2)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.5-3 µg/ml, IHC: 5-30 µg/ml, IF/ICC: 5-30 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx166942 - Recombinant PAFAH2 (Met1-Leu392) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q99487 (UniProt , ExPASy)
KEGG:	hsa:5051
String:	9606.ENSP00000363400
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration:	1 mg/ml

Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only