



Prokineticin 2 / PK2 (PROK2) Antibody


Catalogue No.: abx128401




Western blot analysis of recombinant Human PK2 Protein (with N-terminal His and GST tags).




IHC-P analysis of Human Kidney Tissue, with DAB staining, using Rabbit Anti-Human PK2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Stomach Tissue, with DAB staining, using Rabbit Anti-Human PK2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Liver Tissue, with DAB staining, using Rabbit Anti-Human PK2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Breast Cancer Tissue, with DAB staining, using Rabbit Anti-Human PK2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Prostate Cancer Tissue, with DAB staining, using Rabbit Anti-Human PK2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Skin Cancer Tissue, with DAB staining, using Rabbit Anti-Human PK2 Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Prokineticin 2 / PK2 Antibody is a Rabbit Polyclonal against Prokineticin 2 / PK2.

Target:	Prokineticin 2 / PK2 / PROK2 (PROK2)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	abx166444 - Recombinant PROK2 (Ile30-Gln128 with N-terminal His and GST tags) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9HC23 (UniProt , ExPASy)

Datasheet

Version: 7.0.0

Revision date: 28 Sep 2025



Gene Symbol: PROK2

GeneID: [60675](#)

OMIM: [607002](#)

HGNC: 18455

KEGG: hsa:60675

String: [9606.ENSP00000295619](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Concentration: 0.3 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only