



Interferon-Induced Double Stranded RNA-Activated Protein Kinase (EIF2AK2) Antibody


Catalogue No.: abx128520




Western blot analysis of (1) Human MCF7 Cells, (2) Human HeLa cells and (3) Human Jurkat Cells.




Western blot analysis of recombinant Human EIF2AK2.




IHC-P analysis of MCF7 cells, with FITC staining.



IHC-P analysis of Human Breast Tissue, with DAB staining.



IHC-P analysis of Human Kidney Tissue, with DAB staining.



IHC-P analysis of Human Liver Tissue, with DAB staining.

Interferon-Induced Double Stranded RNA-Activated Protein Kinase Antibody is a Rabbit Polyclonal against Interferon-Induced Double Stranded RNA-Activated Protein Kinase.

Target:	Interferon-Induced Double Stranded RNA-Activated Protein Kinase (EIF2AK2)
Research Area:	Enzymes and Kinases, Apoptosis, Infection Immunity
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-5 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	EIF2AK2 (Ser224-Ile502)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P19525 (UniProt , ExPASy)
KEGG:	hsa:5610
String:	9606.ENSP00000233057
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Datasheet

Version: 3.0.0

Revision date: 21 Aug 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only