



Raft Linking Protein (Raftlin) Antibody


Catalogue No.:abx128892




Western blot analysis of Human HeLa cells.




Western blot analysis of recombinant Human Raftlin.



IHC-P analysis of Human Liver Tissue, with DAB staining.



IHC-P analysis of Human Kidney Tissue, with DAB staining.




IHC-P analysis of Human Pancreas Cancer Tissue, with DAB staining.

Datasheet

Version: 2.0.0 Revision date: 18 Aug 2025





IHC-P analysis of Human Lung Cancer Tissue, with DAB staining.

Raft Linking Protein Antibody is a Rabbit Polyclonal against Raft Linking Protein.

Target: Raft Linking Protein (Raftlin)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-5 μg/ml, IHC: 5-20 μg/ml, IF/ICC: 5-20 μg/ml. Optimal dilutions/concentrations should be

determined by the end user.

Conjugation: Unconjugated

Immunogen: Raftlin (Ser288-Leu520)

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.