



NAD-Dependent Protein Lipoamidase Sirtuin-4, Mitochondrial (SIRT4) Antibody


Catalogue No.: abx129008




Western blot analysis of recombinant Human SIRT4.




IHC-P analysis of Human Prostate Gland Cancer Tissue, with DAB staining.



IHC-P analysis of Human Stomach Tissue, with DAB staining.



IHC-P analysis of Human Stomach Cancer Tissue, with DAB staining.



IHC-P analysis of Human Liver Tissue, with DAB staining.

Datasheet

Version: 4.0.0
Revision date: 15 Oct 2025



NAD-Dependent Protein Lipoamidase Sirtuin-4, Mitochondrial Antibody is a Rabbit Polyclonal antibody against NAD-Dependent Protein Lipoamidase Sirtuin-4, Mitochondrial.

Target:	NAD-Dependent Protein Lipoamidase Sirtuin-4, Mitochondrial (SIRT4)
Research Area:	Signal Transduction
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	SIRT4 (Ser28-Cys314)
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9Y6E7 (UniProt , ExPASy)
Gene Symbol:	SIRT4
GeneID:	23409
KEGG:	hsa:23409
String:	9606.ENSP00000202967
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.