



Topoisomerase III (TOP3) Antibody


Catalogue No.: abx128459




Western blot analysis of the recombinant protein.




IHC-P analysis of Human Glioma Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Prostate Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Cerebrum Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Colorectal Cancer Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 4.0.0
Revision date: 11 Sep 2025



IHC-P analysis of Human Liver Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Prostate Cancer Tissue, with DAB staining, using Rabbit Anti-Human TOP3 Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Topoisomerase III Antibody is a Rabbit Polyclonal against Topoisomerase III.

Target: Topoisomerase III (TOP3)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx166939](#) - Recombinant Human TOP3(Lys35-Ser179)

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q13472 ([UniProt](#), [ExPASy](#))

Datasheet

Version: 4.0.0

Revision date: 11 Sep 2025



Gene Symbol: TOP3A

GeneID: [7156](#)

OMIM: [601243](#)

HGNC: 11992

KEGG: hsa:7156

Ensembl: ENSG00000177302

String: [9606.ENSP00000442336](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only