



Transgelin (TAGLN) Antibody


Catalogue No.: abx128204




Western blot analysis of recombinant Human TAGLN.




Western blot analysis of (1) Human Lung Tissue, (2) Pig Uterus Tissue and (3) Pig Intestine Tissue.



IHC-P analysis of Human Stomach Tissue, with DAB staining, using Rabbit Anti-Human TAGLN Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Stomach Cancer Tissue, with DAB staining, using Rabbit Anti-Human TAGLN Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Prostate Gland Tissue, with DAB staining, using Rabbit Anti-Human TAGLN Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).


Datasheet

Version: 4.0.0


Revision date: 26 Sep 2025



IHC-P analysis of Human Prostate Gland Cancer Tissue, with DAB staining, using Rabbit Anti-Human TAGLN Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Colorectal Cancer Tissue, with DAB staining, using Rabbit Anti-Human TAGLN Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Kidney Tissue, with DAB staining, using Rabbit Anti-Human TAGLN Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Transgelin Antibody is a Rabbit Polyclonal against Transgelin.

Target: Transgelin (TAGLN)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx168191](#) - Recombinant TAGLN (Met1-Ser201) expressed in E. coli

Datasheet

Version: 4.0.0

Revision date: 26 Sep 2025



Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q01995 (UniProt , ExPASy)
Gene Symbol:	TAGLN
GeneID:	6876
OMIM:	600818
KEGG:	hsa:6876
String:	9606.ENSP00000432282
Buffer:	0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.
Specificity:	Cross-reacts with Mouse, Rat and Pig TAGLN.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.