



Tumor Necrosis Factor Receptor Superfamily Member 12A (TNFRSF12A) Antibody


Catalogue No.: abx128013



Western blot analysis of recombinant Human TNFRSF12A using Tumor Necrosis Factor Receptor Superfamily Member 12A / TWEAKR (TNFRSF12A) Antibody.



Immunohistochemistry analysis of paraffin-embedded Human Prostate Cancer Tissue, with DAB staining, using Tumor Necrosis Factor Receptor Superfamily Member 12A / TWEAKR (TNFRSF12A) Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



Immunohistochemistry analysis of paraffin-embedded Human Prostate Cancer Tissue, with DAB staining, using Tumor Necrosis Factor Receptor Superfamily Member 12A / TWEAKR (TNFRSF12A) Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Tumor Necrosis Factor Receptor Superfamily Member 12A (TNFRSF12A) Antibody is a Rabbit Polyclonal antibody against Tumor Necrosis Factor Receptor Superfamily Member 12A (TNFRSF12A).

Target: Tumor Necrosis Factor Receptor Superfamily Member 12A (TNFRSF12A)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Datasheet

Version: 5.0.0
Revision date: 06 Sep 2025



Conjugation:	Unconjugated
Immunogen:	abx166981 - Recombinant TNFRSF12A (Ser24-Ala126) expressed in E. coli
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9NP84 (UniProt , ExPASy)
GeneID:	51330
KEGG:	hsa:51330
Buffer:	0.01 M PBS, pH 7.4, containing 0.02% NaN ₃ , 50% glycerol.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only