



Utrophin (UTRN) Antibody


Catalogue No.: abx129171




Western blot analysis of recombinant Human UTRN.




IHC-P analysis of Human Kidney Tissue, with DAB staining, using Rabbit Anti-Human UTRN Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Stomach Tissue, with DAB staining, using Rabbit Anti-Human UTRN Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Stomach Cancer Tissue, with DAB staining, using Rabbit Anti-Human UTRN Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Human Prostate Tissue, with DAB staining, using Rabbit Anti-Human UTRN Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Datasheet

Version: 4.0.0
Revision date: 23 Aug 2025



IHC-P analysis of Human Prostate Cancer Tissue, with DAB staining, using Rabbit Anti-Human UTRN Antibody (30 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Human Prostate Tissue, with Vector Red staining, using Rabbit Anti-Human UTRN Antibody (10 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Utrophin Antibody is a Rabbit Polyclonal against Utrophin.

Target: Utrophin (UTRN)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-3 µg/ml, IHC: 5-30 µg/ml, IF/ICC: 5-30 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx166541](#) - Recombinant UTRN (Met1-Glu252) expressed in E. coli

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P46939 ([UniProt](#), [ExPASy](#))

Datasheet

Version: 4.0.0

Revision date: 23 Aug 2025



Gene Symbol: UTRN

GeneID: [7402](#)

KEGG: hsa:7402

String: [9606.ENSP00000356515](#)

Buffer: PBS, pH 7.4, containing 0.05% NaN₃, 50% glycerol.

Specificity: Cross-reacts with Mouse and Rat UTRN.

Concentration: 0.73 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only