


Taste Receptor Type 2 Member 49 (TAS2R49) Antibody

Catalogue No.:abx015484



Western blot analysis of extracts from COLO cells and HepG2 cells, using TAS2R49 antibody.

| 26 19 (kD) | |
|----------------------------|--|
| Rabbit polyclonal antibody | against TAS2R49 protein. Immunogen region is Internal. |
| Target: | Taste Receptor Type 2 Member 49 (TAS2R49) |
| Clonality: | Polyclonal |
| Reactivity: | Human |
| Tested Applications: | ELISA, WB |
| Host: | Rabbit |
| Recommended dilutions | : WB: 1/500 - 1/3000, ELISA: 1/20000. Optimal dilutions/concentrations should be determined by the end user. |
| Conjugation: | Unconjugated |
| Immunogen: | The antiserum was produced against synthesized peptide derived from internal of human TAS2R49. |
| Isotype: | lgG |
| Form: | Liquid |
| Purification: | Purified from rabbit antiserum by affinity chromatography using epitope-specific immunogen. |
| Storage: | Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles. |
| UniProt Primary AC: | P59543 (<u>UniProt</u> , <u>ExPASy</u>) |
| KEGG: | hsa:259295 |
| String: | <u>9606.ENSP00000441624</u> |
| | |



Buffer:

Concentration:

1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.02% sodium azide, 50% glycerol.