


## Acrylate-PEG-Acrylate

Catalogue No.: abx085037



Polyethylene glycol (PEG) compounds contain a polyether unit, commonly expressed as  $R_1-(O-CH_2-CH_2)_n-O-R_2$ . They are generally biocompatible, non-toxic and stable in both organic and aqueous solutions, and so are extensively used in biological applications, as well as nanotechnology and materials research. Proteins with PEG chain modifications and compounds encapsulated in PEG liposomes exhibit a longer half-life *in vivo* than their non-PEGylated counterparts, a phenomenon known as PEG shielding. Functionalised PEG lipids and phospholipids can be used for protein-PEG conjugation.

Acrylate-PEG-Acrylate is a linear bifunctional crosslinking PEG reagent with two acrylate (AC) groups that can be used for radical initiator induced polymerization or UV light sensitive photopolymerization.

**Target:** Acrylate-PEG-Acrylate

**Form:** Solid

**Purity:**  $\geq 95\%$  ( $^1\text{H-NMR}$ ). Product conforms to structure by  $^1\text{H-NMR}$ .

**Storage:** Store between 0 and  $-5\text{ }^\circ\text{C}$ . Avoid exposure to light. Ensure the vial lid is sealed when not in use.

**Note:** THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.