



Estrogen Receptor (ESR1) Antibody


Catalogue No.:abx015850



Western blot analysis using ESR1 antibody against MCF-7 (1), T47D (2) and SKBR3 (3) cell lysate.



Immunohistochemical analysis of paraffin-embedded mammary cancer tissues using ESR1 antibody with DAB staining.



Immunofluorescence analysis of Hela cells using ESR1 antibody (green). Red: Actin filaments have been labeled with AF555 phalloidin.

This gene encodes an estrogen receptor, a ligand-activated transcription factor composed of several domains important for hormone binding, DNA binding, and activation of transcription. The protein localizes to the nucleus where it may form a homodimer or a heterodimer with estrogen receptor 2. Estrogen and its receptors are essential for sexual development and reproductive function, but also play a role in other tissues such as bone. Estrogen receptors are also involved in pathological processes including breast cancer, endometrial cancer, and osteoporosis.

Target:	Estrogen Receptor (ESR1)
Clonality:	Monoclonal
Reactivity:	Human
Tested Applications:	ELISA, WB, IHC, IF/ICC
Host:	Mouse



Recommended dilutions	ELISA: 1/10000, WB: 1/500 - 1/2000, IHC: 1/200 - 1/1000, IF/ICC: 1/200 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Purified recombinant fragment of human ESR1 expressed in E. coli.
lsotype:	lgG₁
Form:	Liquid
Purification:	Unpurified ascites.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P03372 (<u>UniProt</u> , <u>ExPASy</u>)
Gene Symbol:	ESR1
GenelD:	2099
OMIM:	133430
HGNC:	3467
KEGG:	hsa:2099
Ensembl:	ENSG0000091831
String:	<u>9606.ENSP00000405330</u>
Molecular Weight:	66 kDa
Buffer:	Ascitic fluid containing 0.03% sodium azide.
Concentration:	Not determined.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.