


AT-Rich Interactive Domain-Containing Protein 2 (ARID2) Antibody

Catalogue No.: abx124248



Western blot analysis of lysates from LO2 cells, using ARID2 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

Immunoprecipitation analysis of 300 µg extracts of 293F cells using 3 µg ARID2 Antibody. Western blot was performed from the immunoprecipitate using ARID2 Antibody at a dilution of 1/1000.

ARID2 Antibody is a Rabbit Polyclonal Antibody against ARID2.

Target: AT-Rich Interactive Domain-Containing Protein 2 (ARID2)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IP

Host: Rabbit

Recommended dilutions: ELISA: 1 µg/ml, WB: 1/500 - 1/2000, IP: 0.5 µg - 4 µg antibody per 200 µg - 400 µg extracts of whole cells. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant protein corresponding to ARID2. The exact sequence is proprietary.

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Datasheet

Version: 5.0.0
Revision date: 18 Oct 2025



Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q68CP9 ([UniProt](#), [ExPASy](#))

Gene Symbol: ARID2

GeneID: [196528](#)

NCBI Accession: NP_689854.2

KEGG: hsa:196528

String: [9606.ENSP00000335044](#)

Molecular Weight: Calculated MW: 197 kDa
Observed MW: 250 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only