


Cytochrome P450 20A1 (CYP20A1) Antibody

Catalogue No.: abx006351



Western blot analysis of various lysates using CYP20A1 Antibody at 1/1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution.
Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 90s.

CYP20A1 Antibody is a Rabbit Polyclonal Antibody against CYP20A1.

Target:	Cytochrome P450 20A1 (CYP20A1)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 183-462 of human CYP20A1.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q6UW02 (UniProt , ExPASy)
Gene Symbol:	CYP20A1
GeneID:	57404

Datasheet

Version: 3.0.0

Revision date: 29 Sep 2025



NCBI Accession: NP_803882.1

KEGG: hsa:57404

String: [9606.ENSP00000348380](https://string-db.org/cgi/show.do?query=9606.ENSP00000348380)

Molecular Weight: Calculated MW: 52 kDa
Observed MW: 46 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only