


Testosterone 17-Beta-Dehydrogenase 3 (HSD17B3) Antibody

Catalogue No.: abx006511



Western blot analysis of lysates from wild type (WT) and 293T cells transfected with HSD17B3 using HSD17B3 Antibody at 1/2500 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 90s.

HSD17B3 Antibody is a Rabbit Polyclonal Antibody against HSD17B3.

Target:	Testosterone 17-Beta-Dehydrogenase 3 (HSD17B3)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant protein corresponding to HSD17B3. The exact sequence is proprietary.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P37058 (UniProt , ExPASy)
Gene Symbol:	HSD17B3
GeneID:	3293

Datasheet

Version: 7.0.0

Revision date: 03 Oct 2025



NCBI Accession: NP_000188.1

KEGG: hsa:3293

String: [9606.ENSP00000364412](#)

Molecular Weight: Calculated MW: 35 kDa
Observed MW: 33 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only