



GAP-Associated Tyrosine Phosphoprotein P62 (KHDRBS1) Antibody


Catalogue No.: abx007308




Western blot analysis of extracts of various cell lines using KHDRBS1 Antibody (1/1000 dilution).




Immunohistochemistry of paraffin-embedded Rat brain using KHDRBS1 Antibody (1/100 dilution, 40x lens).




Immunohistochemistry of paraffin-embedded Human prostate cancer using KHDRBS1 Antibody (1/100 dilution, 40x lens).




Immunohistochemistry of paraffin-embedded Human stomach using KHDRBS1 Antibody (1/100 dilution, 40x lens).




Immunohistochemistry of paraffin-embedded Mouse liver using KHDRBS1 Antibody (1/100 dilution, 40x lens).



Confocal immunofluorescence analysis of HeLa cells using KHDRBS1 Antibody (1/400 dilution). Blue: DAPI for nuclear staining.



Confocal immunofluorescence analysis of U2OS cells using KHDRBS1 Antibody (1/400 dilution). Blue: DAPI for nuclear staining.



Confocal immunofluorescence analysis of HeLa cells using KHDRBS1 Antibody (1/400 dilution). Blue: DAPI for nuclear staining.

KHDRBS1 Antibody is a Rabbit Polyclonal Antibody against KHDRBS1.

Target: GAP-Associated Tyrosine Phosphoprotein P62 (KHDRBS1)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC-P: 1/100 - 1/200, IF/ICC: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: A synthetic peptide corresponding to human KHDRBS1

Datasheet

Version: 4.0.0
Revision date: 15 Oct 2025



Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q07666 (UniProt , ExPASy)
Gene Symbol:	KHDRBS1
GeneID:	10657
NCBI Accession:	NP_006550.1
KEGG:	hsa:10657
String:	9606.ENSP00000313829
Molecular Weight:	Calculated MW: 44 kDa/45 kDa/48 kDa Observed MW: 68 kDa
Buffer:	PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.