



Mediator Of DNA Damage Checkpoint 1 (MDC1) Antibody


Catalogue No.: abx005807




Immunohistochemistry of paraffin-embedded Human lung cancer using MDC1 Antibody (1/100 dilution, 40x lens).




Immunohistochemistry of paraffin-embedded Human colon carcinoma using MDC1 Antibody (1/100 dilution, 40x lens).



Immunohistochemistry of paraffin-embedded Human prostate using MDC1 Antibody (1/100 dilution, 40x lens).




Immunohistochemistry of paraffin-embedded Human prostate cancer using MDC1 Antibody (1/100 dilution, 40x lens).



Immunohistochemistry of paraffin-embedded Human esophagus using MDC1 Antibody (1/100 dilution, 40x lens).

Datasheet

Version: 4.0.0
Revision date: 13 Jun 2025



Immunofluorescence analysis of U-2 OS cells using MDC1 Antibody (1/100 dilution). Blue: DAPI for nuclear staining.

MDC1 Antibody is a Rabbit Polyclonal Antibody against MDC1.

Target:	Mediator Of DNA Damage Checkpoint 1 (MDC1)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	IHC-P: 1/100 - 1/200, IF/ICC: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fusion protein corresponding to human MDC1
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q14676 (UniProt , ExPASy)
Gene Symbol:	MDC1
GeneID:	9656
NCBI Accession:	NP_055456.2

Datasheet

Version: 4.0.0

Revision date: 13 Jun 2025



KEGG: hsa:9656

String: [9606.ENSP00000365588](#)

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only