


Datasheet

Version: 6.0.0
Revision date: 30 Sep 2025

Replication Factor C Subunit 5 (RFC5) Antibody

Catalogue No.: abx006604



Western blot analysis of various lysates using RFC5 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

RFC5 Antibody is a Rabbit Polyclonal Antibody against RFC5.

Target: Replication Factor C Subunit 5 (RFC5)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant protein corresponding to RFC5. The exact sequence is proprietary.

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P40937 ([UniProt](#), [ExPASy](#))

Gene Symbol: RFC5

GeneID: [5985](#)

Datasheet

Version: 6.0.0

Revision date: 30 Sep 2025



NCBI Accession: NP_031396.1

KEGG: hsa:5985

String: [9606.ENSP00000408295](#)

Molecular Weight: Calculated MW: 38 kDa
Observed MW: 38 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only