


Solute Carrier Family 16 Member 11 (SLC16A11) Antibody

Catalogue No.: abx123806



Western blot analysis of various lysates using SLC16A11 Antibody at 1/1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution.
Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

SLC16A11 Antibody is a Rabbit Polyclonal Antibody against SLC16A11.

Target:	Solute Carrier Family 16 Member 11 (SLC16A11)
Clonality:	Polyclonal
Reactivity:	Human, Mouse
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	A synthetic peptide corresponding to a sequence within amino acids 1-100 of mouse SLC16A11.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q5NC32 (UniProt , ExPASy)
Gene Symbol:	SLC16A11
GenelD:	162515

Datasheet

Version: 3.0.0

Revision date: 09 Sep 2025



NCBI Accession: NP_694721.2

KEGG: mmu:216867

String: [10090.ENSMUSP00000116648](https://string-db.org/cgi/show.do?query=10090.ENSMUSP00000116648)

Molecular Weight: Calculated MW: 48 kDa
Observed MW: 48 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only