


Spindlin-2B (SPIN2B) Antibody

Catalogue No.: abx006485



Western blot analysis of various lysates using SPIN2B Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 90s.

SPIN2B Antibody is a Rabbit Polyclonal Antibody against SPIN2B.

Target: Spindlin-2B (SPIN2B)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-258 of human SPIN2B.

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q9BPZ2 ([UniProt](#), [ExPASy](#))

Gene Symbol: SPIN2B

GeneID: [474343](#)

Datasheet

Version: 4.0.0

Revision date: 20 Mar 2025



NCBI Accession: NP_001006682.1

String: [9606.ENSP00000335008](#)

Molecular Weight: Calculated MW: 29 kDa
Observed MW: 29 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only