



THO Complex 1 (THOC1) Antibody


Catalogue No.: abx006088




Western blot analysis of extracts of various cell lines using THOC1 Antibody (1/1000 dilution).




Immunohistochemistry of paraffin-embedded Mouse kidney using THOC1 Antibody (1/100 dilution, 40x lens).




Immunohistochemistry of paraffin-embedded Rat kidney using THOC1 Antibody (1/100 dilution, 40x lens).



Immunohistochemistry of paraffin-embedded Human lung cancer using THOC1 Antibody (1/100 dilution, 40x lens).



Immunohistochemistry of paraffin-embedded Human stomach using THOC1 Antibody (1/100 dilution, 40x lens).



Immunofluorescence analysis of U2OS cells using THOC1 Antibody (1/100 dilution). Blue: DAPI for nuclear staining.

THOC1 Antibody is a Rabbit Polyclonal Antibody against THOC1.

Target:	THO Complex 1 (THOC1)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/100, IF/ICC: 1/50 - 1/100. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fusion protein corresponding to human THOC1
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q96FV9 (UniProt , ExPASy)
Gene Symbol:	THOC1
GeneID:	9984
NCBI Accession:	NP_005122.2

Datasheet

Version: 2.0.0

Revision date: 23 Sep 2025



KEGG: hsa:9984

String: [9606.ENSP00000261600](#)

Molecular Weight: Calculated MW: 43 kDa/75 kDa
Observed MW: 92 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only