


Bifunctional 3'-5' Exonuclease/ATP-Dependent Helicase WRN (WRN) Antibody

Catalogue No.: abx124215



Western blot analysis of various lysates using WRN Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 15s.

Bifunctional 3'-5' Exonuclease/ATP-Dependent Helicase WRN (WRN) Antibody is a Rabbit Polyclonal Antibody against WRN.

Target:	Bifunctional 3'-5' Exonuclease/ATP-Dependent Helicase WRN (WRN)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/200 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant protein corresponding to WRN. The exact sequence is proprietary.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q14191 (UniProt , ExPASy)
Gene Symbol:	WRN

Datasheet

Version: 4.0.0
Revision date: 22 Dec 2025



GeneID:	7486
OMIM:	114500
NCBI Accession:	NP_000544.2
HGNC:	12791
KEGG:	hsa:7486
Ensembl:	ENSG00000165392
String:	9606.ENSP00000298139
Molecular Weight:	Calculated MW: 162 kDa Observed MW: 200 kDa
Buffer:	PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.
Concentration:	2.523 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.