


Proton Myo-Inositol Cotransporter / Hmit (SLC2A13) Antibody

Catalogue No.: abx135913



Western blot analysis of various lysates using SLC2A13 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 1s.

SLC2A13 Antibody is a Rabbit Polyclonal against SLC2A13.

Target:	Proton Myo-Inositol Cotransporter / Hmit (SLC2A13)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/1000 - 1/4000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant protein corresponding to SLC2A13. The exact sequence is proprietary.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q96QE2 (UniProt , ExPASy)
Gene Symbol:	SLC2A13
GeneID:	114134

Datasheet

Version: 2.0.0

Revision date: 08 Oct 2025



NCBI Accession: NP_443117.3

KEGG: hsa:114134

String: [9606.ENSP00000280871](https://string-db.org/cgi/show.do?query=9606.ENSP00000280871)

Molecular Weight: Calculated MW: 70 kDa
Observed MW: 73 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only