


Transcription Factor AP-2 Alpha (TFAP2A) Antibody

Catalogue No.: abx135702



Western blot analysis of lysates from HeLa cells, using Activator protein 2 (AP-2/TFAP2A) Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 180s.

TFAP2A Antibody is a Rabbit Polyclonal against TFAP2A.

Target:	Transcription Factor AP-2 Alpha (TFAP2A)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/500 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant protein corresponding to TFAP2A. The exact sequence is proprietary.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P05549 (UniProt , ExPASy)
Gene Symbol:	TFAP2A
GeneID:	7020

Datasheet

Version: 8.0.0

Revision date: 12 Sep 2025



NCBI Accession: NP_003211.1

KEGG: hsa:7020

String: [9606.ENSF00000368924](#)

Molecular Weight: Calculated MW: 48 kDa
Observed MW: 50 kDa

Buffer: PBS, pH 7.3, containing 0.01% thimerosal, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only