

# Tumor Necrosis Factor Ligand Superfamily Member 6 (FASLG) Antibody

Catalogue No.: abx139054

FASLG Antibody is a Mouse Monoclonal against FASLG.

<b>Target:</b>	Tumor Necrosis Factor Ligand Superfamily Member 6 (FASLG)
<b>Research Area:</b>	Apoptosis, Tumour Immunity, Infection Immunity
<b>Clonality:</b>	Monoclonal
<b>Clone:</b>	U373
<b>Reactivity:</b>	Human
<b>Tested Applications:</b>	IHC, IF/ICC, FCM, IP, FUNC
<b>Host:</b>	Mouse
<b>Recommended dilutions:</b>	Optimal dilutions/concentrations should be determined by the end user.
<b>Conjugation:</b>	Unconjugated
<b>Immunogen:</b>	L5178Y mouse T lymphoma cells expressing recombinant Human FASLG.
<b>Isotype:</b>	IgG <sub>1</sub>
<b>Purity:</b>	> 95% (SDS-PAGE)
<b>Purification:</b>	Purified by Protein A affinity chromatography.
<b>Storage:</b>	Store at 2-8°C. Do not freeze.
<b>UniProt Primary AC:</b>	P48023 ( <a href="#">UniProt</a> , <a href="#">ExPASy</a> )
<b>Gene Symbol:</b>	FASLG
<b>GeneID:</b>	<a href="#">356</a>
<b>KEGG:</b>	hsa:356

# Datasheet

Version: 3.0.0

Revision date: 03 Sep 2025



**String:** [9606.ENSPO0000356694](#)

**Buffer:** LE/AF PBS solution, 0.2 µm filter sterilized.

**Endotoxin Level:** Endotoxin level is less than 0.01 EU/µg of the protein, as determined by the LAL test.

**Specificity:** The mouse monoclonal antibody recognizes FASLG, an approximately 40 kDa transmembrane glycoprotein expressed on neutrophils, monocytes, and activated T and NK cells.

## HCDM Workshop: VII 70322

**Concentration:** 1 mg/ml

**Note:** THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only