



HLA-DR Antigens-Associated Invariant Chain (HLA-DR) Antibody (APC)

Catalogue No.: abx140295



Flow cytometry analysis of Human peripheral whole blood using HLA DR Antibody (APC) (0.33 µg/ml).



Flow cytometry analysis of Human peripheral whole blood using HLA DR Antibody (APC) (0.33 µg/ml).

HLA-DR Antibody is a Mouse Monoclonal against HLA-DR.

Target: HLA-DR Antigens-Associated Invariant Chain (HLA-DR)

Clonality: Monoclonal

Clone: MEM-12

Reactivity: Human

Tested Applications: FCM

Host: Mouse

Recommended dilutions: FCM: 10 µl/100 µl of whole blood or 10⁶ cells. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: APC

Excitation/Emission: 651/660

Laser Line: 647

Immunogen: thymocyte membrane.

Datasheet

Version: 3.0.0

Revision date: 27 Jun 2025



Isotype:	IgG ₁
Storage:	Store in the dark at 2-8°C. Avoid exposure to light. Do not freeze.
Buffer:	Stabilizing PBS solution containing 15 mM sodium azide.
Specificity:	The antibody recognizes common epitope on human HLA-DR which is dependent on the association of alpha and beta chains. DR is the isotype of human MHC Class II molecules expressed on antigen-presenting cells (APC; dendritic cells, B lymphocytes, monocytes, macrophages).
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only