


B-Cell Antigen Receptor Complex-Associated Protein Alpha Chain (CD79A) Antibody

Catalogue No.: abx139330



Intracellular staining of CD79a in human peripheral blood with anti-CD79a purified, GAM-APC.

CD79a Antibody is a Mouse Monoclonal against CD79a.

Target:	B-Cell Antigen Receptor Complex-Associated Protein Alpha Chain (CD79A)
Clonality:	Monoclonal
Clone:	D573
Reactivity:	Human, Pig, Mouse, Rat, Cow, Horse, Guinea pig, Opossum, Rabbit, Chicken
Tested Applications:	IHC, FCM
Host:	Mouse
Recommended dilutions:	FCM: 5 µg/ml, IHC-P: 10 µg/ml, IHC-F: 10 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Synthetic peptide corresponding to amino acids 202-216 of Human CD79a.
Isotype:	IgG ₁
Purity:	> 95% (SDS-PAGE)
Purification:	Purified by Protein A affinity chromatography.
Storage:	Store at 2-8°C. Do not freeze.
UniProt Primary AC:	P11912 (UniProt , ExPASy)

Datasheet

Version: 3.0.0
Revision date: 12 Oct 2025



Gene Symbol:	CD79A
GeneID:	973
KEGG:	hsa:973
String:	9606.ENSP00000221972
Buffer:	PBS solution with 15 mM sodium azide.
Specificity:	The antibody interacts with CD79a (Ig alpha), a 40-45 kDa subunit of B cell antigen-specific receptor (BCR) and its early developmental forms.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only