



B-Cell Antigen Receptor Complex-Associated Protein Alpha Chain (CD79A) Antibody (APC)


Catalogue No.: abx139332



Flow cytometry intracellular staining pattern of Human peripheral whole blood stained using CD79A Antibody (APC) (1 µg/ml).



Flow cytometry intracellular staining pattern of Human peripheral whole blood stained using CD79A Antibody (APC) (1 µg/ml).



Flow cytometry intracellular staining pattern of Human peripheral whole blood stained using CD79A Antibody (APC) (1 µg/ml).

CD79a Antibody is a Mouse Monoclonal against CD79a.

Target:	B-Cell Antigen Receptor Complex-Associated Protein Alpha Chain (CD79A)
Clonality:	Monoclonal
Clone:	D573
Reactivity:	Human, Pig, Mouse, Rat, Cow, Horse, Guinea pig, Opossum, Rabbit, Chicken
Tested Applications:	FCM
Host:	Mouse

Datasheet

Version: 3.0.0
Revision date: 24 Oct 2025



Recommended dilutions:	FCM: 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	APC
Excitation/Emission:	651/660
Laser Line:	647
Immunogen:	Synthetic peptide corresponding to amino acids 202-216 of Human CD79a.
Isotype:	IgG ₁
Storage:	Store in the dark at 2-8°C. Avoid exposure to light. Do not freeze.
UniProt Primary AC:	P11912 (UniProt , ExPASy)
Gene Symbol:	CD79A
GeneID:	973
KEGG:	hsa:973
String:	9606.ENSP00000221972
Buffer:	Stabilizing PBS solution containing 15 mM sodium azide.
Specificity:	The antibody interacts with CD79a (Ig alpha), a 40-45 kDa subunit of B cell antigen-specific receptor (BCR) and its early developmental forms.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.