


B-Cell Antigen Receptor Complex-Associated Protein Alpha Chain (CD79A) Antibody (APC)

Catalogue No.: abx139335



Flow cytometry intracellular staining pattern of human peripheral whole blood stained using anti-human CD79a (APC) antibody (1 µg/ml).

CD79a Antibody is a Mouse Monoclonal against CD79a.

Target:	B-Cell Antigen Receptor Complex-Associated Protein Alpha Chain (CD79A)
Clonality:	Monoclonal
Clone:	P303
Reactivity:	Human, Monkey, Pig, Mouse, Rat, Cow, Dog, Horse, Guinea pig, Rabbit, Chicken
Tested Applications:	FCM
Host:	Mouse
Recommended dilutions:	FCM: 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	APC
Excitation/Emission:	651/660
Laser Line:	647
Immunogen:	Synthetic peptide corresponding to C terminal amino acids 208-222 of Human CD79a.
Isotype:	IgG ₁ Kappa
Storage:	Store in the dark at 2-8°C. Avoid exposure to light. Do not freeze.
UniProt Primary AC:	P11912 (UniProt , ExPASy)

Datasheet

Version: 5.0.0

Revision date: 12 Oct 2025



Gene Symbol: CD79A

GeneID: [973](#)

KEGG: hsa:973

String: [9606.ENSP00000221972](#)

Buffer: Stabilizing PBS solution containing 15 mM sodium azide.

Specificity: The mouse monoclonal antibody reacts with intracellular domain of CD79a (Ig alpha), a 40-45 kDa subunit of B cell antigen-specific receptor (BCR) and its early developmental forms.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only