



HEPACAM Family Member 2 (HEPACAM2) Antibody

Catalogue No.: abx145592



WB analysis of HepG2 cell lysates using HEPACAM2 antibody.



IHC-P analysis of Fetal liver tissue, with membrane staining using HEPACAM2 antibody.

HEPACAM2 Antibody is a Rabbit Polyclonal against HEPACAM2.

Target:	HEPACAM Family Member 2 (HEPACAM2)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB, IHC
Host:	Rabbit
Recommended dilutions:	ELISA: 1/20000 - 1/80000, WB: 1/500 - 1/2000, IHC: 1/100 - 1/200. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fragment corresponding to 139-330 AA of Human HEPACAM2.
Isotype:	IgG
Form:	Lyophilized
Purification:	Purified by antigen affinity column chromatography.

Datasheet

Version: 3.0.0
Revision date: 06 Mar 2025



Reconstitution: Reconstitute in 100 µl of sterile distilled H₂O with 50% glycerol.

Storage: Store at -20 °C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: A8MVW5 ([UniProt](#), [ExPASy](#))

Gene Symbol: HEPACAM2

GeneID: [253012](#)

OMIM: [614133](#)

NCBI Accession: BC139906

HGNC: 27364

KEGG: hsa:253012

Ensembl: ENSG00000188175

String: [9606.ENSP00000390204](#)

Molecular Weight: Observed MW: 50 kDa (Recombinant Protein)

Buffer: Prior to lyophilization: 1% BSA and 0.02% NaN₃.

Specificity: Predicted to react with Mouse and Rat HEPACAM2.

Concentration: Lyophilized form: Not applicable.
After reconstitution: 1 mg/ml.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.