

Proteasome Subunit Beta Type 5 (PSMB5) Antibody

Catalogue No.:abx001609



Western blot analysis of extracts of various cell lines using PSMB5 Antibody (1/1000 dilution).



Immunofluorescence analysis of U2OS cells using PSMB5 Antibody Blue: DAPI for nuclear staining.

PSMB5 Antibody is a Rabbit Polyclonal antibody against PSMB5. The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit in the proteasome. This catalytic subunit is not present in the immunoproteasome and is replaced by catalytic subunit 3i (proteasome beta 8 subunit). Multiple transcript variants encoding different isoforms have been found for this gene.

Target:	Proteasome Subunit Beta Type 5 (PSMB5)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	WB, IF/ICC
Host:	Rabbit
Recommended dilutions	: WB: 1/500 - 1/2000, IF/ICC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fusion protein corresponding to human PSMB5

Datasheet Version: 5.0.0

Revision date: 16 Jul 2025



lsotype:	lgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P28074 (<u>UniProt</u> , <u>ExPASy</u>)
Gene Symbol:	PSMB5
GenelD:	5693
NCBI Accession:	NP_002788.1
KEGG:	hsa:5693
String:	9606.ENSP00000355325
Molecular Weight:	Calculated MW: 17 kDa/21 kDa/28 kDa Observed MW: 21 kDa
Buffer:	PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.
Concentration:	1 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.