



TGF-Beta-Activated Kinase 1 And MAP3K7-Binding Protein 3 (TAB3) Antibody


Catalogue No.: abx147063



WB analysis of 293T cells, using TAB3 antibody (1/1000 dilution).



IHC-P analysis of rat kidney tissue, using TAB3 antibody (1/50 dilution).



IF analysis of A431 cells, using TAB3 antibody (1/50 dilution).

TGF-Beta-Activated Kinase 1 And MAP3K7-Binding Protein 3 (TAB3) Antibody is a Rabbit Polyclonal antibody for the detection of TAB3.

Adapter linking MAP3K7/TAK1 and TRAF6 or TRAF2. Mediator of MAP3K7 activation, respectively in the IL1 and TNF signaling pathways. Plays a role in activation of NF-kappa-B and AP1 transcription factor. Isoform 2 may be an oncogenic factor.

Target: TGF-Beta-Activated Kinase 1 And MAP3K7-Binding Protein 3 (TAB3)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC, IF/ICC

Datasheet

Version: 3.0.0
Revision date: 17 Sep 2025



Host:	Rabbit
Recommended dilutions:	WB: 1/500 - 1/1000, IHC: 1/20 - 1/200, IF/ICC: 1/20 - 1/100. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	TGF-beta-activated kinase 1 and MAP3K7-binding protein 3
Isotype:	IgG
Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q8N5C8 (UniProt , ExPASy)
Gene Symbol:	TAB3
GeneID:	257397
OMIM:	300480
HGNC:	30681
KEGG:	hsa:257397
Ensembl:	ENSG00000157625
String:	9606.ENSP00000368215
Molecular Weight:	Observed MW: 75-100 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.