



Vitamin D3 Receptor (VDR) Antibody


Catalogue No.: abx126773




Western blot analysis of extracts of various cell lines using VDR Antibody (1/500 dilution).




Immunohistochemistry of paraffin-embedded Human liver cancer using VDR Antibody (1/100 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry of paraffin-embedded Mouse liver using VDR Antibody (1/100 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




Immunohistochemistry of paraffin-embedded Rat liver using VDR Antibody (1/100 dilution, 40x lens). High pressure antigen retrieval was performed in 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




Immunofluorescence analysis of PC-12 using VDR Antibody at dilution of 1 : 100 (40x lens). Blue: DAPI for nuclear staining.

Datasheet

Version: 3.0.0
Revision date: 29 Aug 2025



Immunofluorescence analysis of NIH-3T3 using VDR Antibody at dilution of 1 : 100 (40x lens).
Blue: DAPI for nuclear staining.



Immunofluorescence analysis of HeLa using VDR Antibody at dilution of 1 : 100 (40x lens).
Blue: DAPI for nuclear staining.

VDR Antibody is a Rabbit Polyclonal against VDR.

Target: Vitamin D3 Receptor (VDR)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/100, IF/ICC: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant fusion protein corresponding to human VDR

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 3.0.0

Revision date: 29 Aug 2025



UniProt Primary AC: P11473 ([UniProt](#), [ExPASy](#))

Gene Symbol: VDR

GeneID: [7421](#)

NCBI Accession: NP_000367.1

KEGG: hsa:7421

String: [9606.ENSP00000447173](#)

Molecular Weight: Calculated MW: 48 kDa/53 kDa
Observed MW: 48 kDa

Buffer: PBS, pH 7.3, containing 0.01% thiomersal, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only