



Multidrug Resistance Associated Protein 1 (ABCC1) Antibody

Catalogue No.: abx125477



Western blot analysis of lysates from HepG2 cells, using MRP1/ABCC1 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 5s.



Western blot analysis of lysates from HeLa cells, using MRP1/ABCC1 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 10s.

Multidrug Resistance Associated Protein 1 (ABCC1) Antibody is a Rabbit Polyclonal against Multidrug Resistance Associated Protein 1 (ABCC1).

Target: Multidrug Resistance Associated Protein 1 (ABCC1)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant protein corresponding to ABCC1. The exact sequence is proprietary.

Isotype: IgG

Form: Liquid

Datasheet

Version: 4.0.0
Revision date: 08 Oct 2025



Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P33527 (UniProt , ExPASy)
Gene Symbol:	ABCC1
GeneID:	4363
NCBI Accession:	NP_004987.2
KEGG:	hsa:4363
String:	9606.ENSP00000382342
Molecular Weight:	Calculated MW: 172 kDa Observed MW: 210 kDa
Buffer:	PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.
Concentration:	> 0.2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.