


## G Protein Signaling Modulator 2 (GPSM2) Antibody

Catalogue No.: abx125904



Western blot analysis of various lysates using GPSM2 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 10s.

GPSM2 Antibody is a Rabbit Polyclonal against GPSM2.

**Target:** G Protein Signaling Modulator 2 (GPSM2)

**Clonality:** Polyclonal

**Reactivity:** Human, Mouse

**Tested Applications:** ELISA, WB

**Host:** Rabbit

**Recommended dilutions:** ELISA: 1 µg/ml, WB: 1/1000 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

**Conjugation:** Unconjugated

**Immunogen:** Recombinant protein corresponding to GPSM2. The exact sequence is proprietary.

**Isotype:** IgG

**Form:** Liquid

**Purification:** Purified by affinity chromatography.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

**UniProt Primary AC:** P81274 ([UniProt](#), [ExPASy](#))

**Gene Symbol:** GPSM2

**GeneID:** [29899](#)

# Datasheet

Version: 4.0.0

Revision date: 03 Nov 2025



**NCBI Accession:** NP\_037428.3

**KEGG:** hsa:29899

**String:** [9606.ENSP00000385510](#)

**Molecular Weight:** Calculated MW: 77 kDa  
Observed MW: 76 kDa

**Buffer:** PBS, pH 7.3, containing 0.01% thimerosal, 50% glycerol.

**Concentration:** > 0.2 mg/ml

**Note:** THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only